



MASTER
Crafted



GLOBE PANEL INDUSTRIES INDIA PVT. LTD.
(AN ISO 9001 & 14001 Certified Company)
E-mail : globepanel@gmail.com

Customer Care Toll Free No. : 1800 270 1201
Tel. No. : 081999 50343, 082228 88544
E-mail : customercare@globepanel.in



MASTER
Crafted



SCAN THE QR CODE FOR
AN E- CATALOGUE



Introducing our latest design concept where creativity meets functionality to redefine interior spaces. Inspired by nature's beauty and urban landscapes, our laminates offer a harmonious blend of textures, patterns, and colors. Each design tells a unique story, creating a visual masterpiece that transcends trends and time. Decorate your space with our innovative laminates, where imagination knows no bounds and style knows no limits.

WAS
TIES
R






Our company is a pioneer in crafting high-quality, innovative surfacing solutions for residential and commercial spaces. With a commitment to excellence, we offer a diverse range of laminates that combine durability, aesthetics, and affordability. Our products are designed to inspire creativity and transform interiors with timeless elegance. Experience the perfect fusion of style and performance with our company's exceptional offerings.

COLLECTION


Qua



QR SCAN Benefits

Globe lam DIGITAL

Explore our stunning laminate collection on our user-friendly website, where you can browse through our diverse range of patterns and textures. Engage with us on social media to stay updated on the latest design trends, inspiration, and product innovations. Download our interactive PDF catalog for a dynamic and immersive experience, allowing you to envision our laminates in your space with ease. Immerse yourself in a world of design possibilities and creativity through our digital platform, where beauty meets functionality seamlessly.



Website



Social Media



Interactive Pdf



SCAN QR

Our creations will manifest a brand new and extraordinary decor for your spaces and home



| | | |
|----|---|--|
| 07 | PASTEL ULTRA GLOSS (PUG) Page Number 15 | |
| 08 | FLUTE (FLT) Page Number 16-17 | |
| 09 | SUPER MATT (SMT) Page Number 18-21 | |
| 10 | ULTRA GLOSS (UG) Page Number 22-47 | |
| 11 | SOLID ULTRA GLOSS (UG) Page Number 48-49 | |
| 12 | LONSTRONG OAK (LO) Page Number 50, 52 | |
| 13 | NATURAL VENEER (NV) Page Number 51, 53 | |
| 14 | MICRO ASH (MA) Page Number 54-55 | |

| | | |
|----|---|--|
| 01 | GLOSS FLUTE (GFT) Page Number 08-09 | |
| 02 | ACRYLIC GLOSS FLUTE (GFT) Page Number 10 | |
| 03 | ACRYLIC ULTRA GLOSS (AUG) Page Number 11 | |
| 04 | PASTEL FLUTE (FLT) Page Number 12 | |
| 05 | PASTEL SUPER MATT (PMT) Page Number 13 | |
| 06 | METALLICS (UG) Page Number 14 | |

| | | |
|----|--|--|
| 23 | DIAMOND CUT (DC) Page Number 72 | |
| 24 | SPECKLE (SP) Page Number 73 | |
| 25 | LEATHER CUBE (LC) Page Number 74 | |
| 26 | MAGIC MAZE (MM) Page Number 75 | |
| 27 | SUPER MATT (SMT) Page Number 76-79 | |
| 28 | WOOD GRAINS (SF) Page Number 80-95 | |
| 29 | SOLID COLORS (SF) Page Number 96-97 | |

| | | |
|----|---|--|
| 15 | CHANNEL ASH (CA) Page Number 56-57 | |
| 16 | NATURAL STONE (NS) Page Number 58-59 | |
| 17 | FEATHER WAVES (FW) Page Number 60-61 | |
| 18 | ASH (ASH) Page Number 62-63 | |
| 19 | VENZA (VZ) Page Number 64-65 | |
| 20 | HAMMER STONE (HS) Page Number 66-67 | |
| 21 | ORCHID SQUARE (OS) Page Number 68-69 | |
| 22 | TIK TOK (TK) Page Number 70-71 | |

FINISH


Index

GLOSS FLUTE (GFT)




Captivating Designs

Sleek exuberance of style that elevates decors stylishly



11022 - AUG | COCOA



11000 - GFT | MARTINO MARBLE





ACRYLIC GLOSS FLUTE (GFT)

ACRYLIC ULTRA GLOSS (AUG)



11022 - GFT | COCOA



Panache



11022 - AUG | COCOA



11025 - GFT | TAPESTRY BEIGE



11021 - GFT | CLASSIC BLUE



11021 - AUG | CLASSIC BLUE



11025 - AUG | TAPESTRY BEIGE



11023 - GFT | WARM WHITE



11024 - GFT | PALE SMOKE



11024 - AUG | PALE SMOKE



11023 - AUG | WARM WHITE



PASTEL FLUTE (FLT)

PASTEL SUPER MATT (PMT)



11027 - FLT | GREY CHARCOAL




11026 - FLT | ANTLER




11028 - FLT | LEAF GREEN



11027 - PMT | GREY CHARCOAL



11026 - PMT | ANTLER



11029 - FLT | GREEN BLACKOUT



11029 - PMT | GREEN BLACKOUT



11028 - PMT | LEAF GREEN



METALLICS (UG)



5135 - UG | WHITE METALLIC



Curated Style

These elegant surfaces will give your spaces a refined look of splendor




5125 - UG | BLUE METALLIC



11016 - UG | CAFE METALLIC



5124 - UG | GREY METALLIC



11017 - UG | ROYAL METALLIC



PASTEL ULTRA GLOSS (PUG)



11027 - PUG | GREY CHARCOAL



14
15



11026 - PUG | ANTLER



11029 - PUG | GREEN BLACKOUT




11028 - PUG | LEAF GREEN



FLUTE (FLT)



11008 - FLT | GREY CROSS WOOD



11007 - FLT | TEXAS CROSS WOOD



FLUTE




505 - UG | SLATE GREY



11000 - FLT | MARTINO MARBLE




SUPER MATT (SMT)




11001 - SMT | SLEEK OAK WOOD



11002 - SMT | SIGLO OAK WOOD



11027 - FLT |
GREY CHARCOAL



11009 - SMT | TURIN SATURIO



SUPER MATT (SMT)


SUPER MATT (SMT)



11010 - SMT | LIGHT ALTIS WOOD



11011 - SMT | DARK ALTIS WOOD



11012 - SMT | VERTICAL WOOD



PATTERNS
Niche

ULTRA GLOSS (UG)




11003 - UG | LIGHT EUCALYPTUS



11004 - UG | BROWN EUCALYPTUS



ULTRA GLOSS (UG)



11012 - UG | VERTICAL WOOD



ULTRA GLOSS (UG)



11019 - UG | NEO OAK WOOD



11018 - UG | OAK WOOD



Premium
Collection

These finishes
are just
perfect to amp
up your decor
aesthetics



11020 - UG | CASTLE OAK WOOD



ULTRA GLOSS (UG)



Versatile Flair

The magnificence of design that accentuates the artistic touch




11009 - UG | TURIN SATURIO



11027 - PMT | GREY CHARCOAL




ULTRA GLOSS (UG)



11015 - UG | ALTIS MARBLE



ULTRA GLOSS (UG)




11005 - UG | ONYX WHITE



11030 - PMT | DLU GRECO



11023 - AUG | WARM WHITE



11006 - UG | ONYX BLACK



ULTRA GLOSS (UG)



Lavish Appeal

Each surface is a celebration of style and enamoring grace



9064 - UG | CREAM RUSTIC STONE



9065 - UG | GREY RUSTIC STONE



9032 - UG | SLATE MARBLE



ULTRA GLOSS (UG)



9069 - UG | CREAM OPAL STONE



9067 - UG | GREY OPAL STONE



9060 - UG | BLACK MARBLE




9059 - UG | WHITE MARBLE



ULTRA GLOSS (UG)



MODISH Accents



11031 - UG | ACURA MAPLE



11032 - UG | NATURAL OAK



ULTRA GLOSS (UG)



USE LAMINATE
9062 - UG

ULTRA GLOSS (UG)




9063 - UG | RED METALLIC WOOD



9062 - UG | DARK METALLIC WOOD



9066 - UG | CLASSIC WOOD



9070 - UG | CALIFORNIA PINE



ULTRA GLOSS (UG)



9056 - UG | GOLDEN OAK



9057 - UG | VENICE OAK



Panache Fervor

The innovation and refreshing verve of designs that bring smiles



9058 - UG | ZEBRA ELM WOOD




ULTRA GLOSS (UG)



Elegant Elan

The contemporary vibe of our designs will create eternal charm



2093 - UG (HZ) | REAL WOOD



9061 - UG (HZ) | COFFEE METALLIC



9073 - UG (HZ) | BROWN SANTOS WOOD



ULTRA GLOSS (UG)



9026 - UG | DARK BRENT WOOD



9025 - UG | LIGHT BRENT WOOD



9029 - UG | WILD TEAK



9035 - UG | NATURAL SAWCUT



2075 - UG | GOLDEN WALNUT



ULTRA GLOSS (UG)



2087 - UG | WOOD WALNUT



Stunning Artistry

The sleek touch of surfaces that emanates beauty and brilliance



9030 - UG | BURNED WALNUT



44
45



2093 - UG | REAL WOOD



2094 - UG | AFRICAN WOOD



2027 - UG | DARK EMERALD WOOD



2024 - UG | RUSTIC WALNUT



ULTRA GLOSS (UG)



2073 - UG | LIGHT OAK



2091 - UG | ZURA WALNUT



2081 - UG | BELMOUNT WOOD



5121 - UG | DELTA OAK



2074 - UG | WINE OAK



2092 - UG | PADONA WALNUT



5051 - UG | WILD WALNUT




5057 - UG | LEGNO WOOD DARK




SOLID ULTRA GLOSS (UG)



Mesmerizing
 A ravishing design style that exudes unparalleled class and contemporary craze




501 - UG | WHITE




516 - UG | FROSTY WHITE




517 - UG | IVORY




561 - UG | BEIGE



509 - UG | COFFEE




503 - UG | GREY



505 - UG | SLATE GREY



504 - UG | DARK GREY



511 - UG | BLACK



525 - UG | YELLOW



528 - UG | ORANGE



556 - UG | RUSBERRY



558 - UG | ROYAL PINK




548 - UG | RED




532 - UG | BRICK




555 - UG | BLACK CURRENT



535 - UG | PARROT GREEN



546 - UG | LAVENDER



526 - UG | ROYAL BLUE



PREMIUM *Class*

LONSTRONG OAK (LO)



11001 - LO | SLEEK OAK WOOD



11002 - LO | SIGLO OAK WOOD



NATURAL VENEER (NV)



11014 - NV | DARK MARTINO



11013 - NV | LIGHT MARTINO



LONSTRONG OAK (LO)



NATURAL VENEER (NV)



Swanky Edge

Our collection is a perfect example of all things trending and captivating



11011 - LO | DARK ALTIS WOOD




11010 - LO | LIGHT ALTIS WOOD



Snazzy Appeal

All that's here is the perfect amalgam of form and functionality



11012 - NV | VERTICAL WOOD



MICRO ASH (MA)



9057 - MA | VENICE OAK



9056 - MA | GOLDEN OAK



9029 - MA | WILD TEAK




9058 - MA | ZEBRA ELM WOOD



CHANNEL ASH (CA)




9061 - ASH (CA) HZ | COFFEE METALLIC



9063 - ASH (CA) HZ | RED METALLIC WOOD



56
57



9073 - ASH (CA) HZ | BROWN SANTOS WOOD



9062 - ASH (CA) HZ | DARK METALLIC WOOD



NATURAL STONE (NS)



Ultimate Realm


The reign of resplendent textures to elevate your living environment



9076 - NS | DARK TRENTA MARBLE



9064 - NS | CREAM RUSTIC STONE



9065 - NS | GREY RUSTIC STONE



FEATHER WAVES (FW)



11020 - FW | CASTLE OAK WOOD



11018 - FW | OAK WOOD



516 - FW | FROSTY WHITE



9030 - FW | BURNED WALNUT



ASH (ASH)



11002 - ASH | SIGLO OAK WOOD



11001 - ASH | SLEEK OAK WOOD



2094 - ASH | AFRICAN WOOD



2093 - ASH | REAL WOOD



Enticing Appearance

Each pattern is curated to splash a special vibe of versatility



5121 - ASH | DELTA OAK






VENZA (VZ)



9030 - VZ | BURNED WALNUT



USE LAMINATE
9035 - VZ



516 - VZ | FROSTY WHITE



9035 - VZ | NATURAL SAWCUT



2024 - VZ | RUSTIC WALNUT



HAMMER STONE (HS)



9036 - HS | LIGHT MARBLE



9037 - HS | SLATE MARBLE



9069 - HS | CREAM OPAL STONE



9067 - HS | GREY OPAL STONE



ORCHID SQUARE (OS)



Gorgeous Textures

Inventive surfaces to spread its irresistible charm and style quotient




2094 - OS | AFRICAN WOOD



2093 - OS | REAL WOOD



516 - OS | FROSTY WHITE



2101 - OS | BLACK WALNUT



TIK TOK (TK)




11011 - TK | DARK ALTIS WOOD



PREMIUM
Verwe



516 - TK | FROSTY WHITE



2101 - TK | BLACK WALNUT



DIAMOND CUT (DC)




9020 - DC | BLACK WALNUT



9063 - DC | RED METALLIC WOOD



516 - DC | FROSTY WHITE




9062 - DC | DARK METALLIC WOOD



SPECKLE (SP)



2024 - SP | RUSTIC WALNUT



11003 - SP | LIGHT EUCALYPTUS




11004 - SP | BROWN EUCALYPTUS



Made to mesmerize and spread a vibe

SUPER MATT (SMT)



11000 - SMT | MARTINO MARBLE



GRANDEUR
Exemplified




9069 - SMT | CREAM OPAL STONE



9067 - SMT | GREY OPAL STONE.



SUPER MATT (SMT)



9058 - SMT | ZEBRA ELM WOOD



9062 - SMT | DARK METALLIC WOOD



9063 - SMT | RED METALLIC WOOD



WOOD GRAINS (SF)



11031 - SF | ACURA MAPLE

STUDYING

Surfaces

WOOD GRAINS (SF)



11032 - SF | NATURAL OAK

WOOD GRAINS (SF)



11011 - SF | DARK ALTIS WOOD



11010 - SF | LIGHT ALTIS WOOD



11002 - SF | SIGLO OAK WOOD



11001 - SF | SLEEK OAK WOOD



WOOD GRAINS (SF)



11020 - SF | CASTLE OAK WOOD



11018 - SF | OAK WOOD



BOHEMIAN
Ecstasy



11019 - SF | NEO OAK WOOD



WOOD GRAINS (SF)



9055 - SF | GREY OAK WOOD



9074 - SF | LIGHT GREY VENEER



Fabulous Fusion



9054 - SF | CREAM OAK WOOD



9075 - SF | DARK GREY VENEER



9056 - SF | GOLDEN OAK



9057 - SF | VENICE OAK



WOOD GRAINS (SF)



9058 - SF | ZEBRA ELM WOOD



DYNAMICS
Smart



9063 - SF | RED METALLIC WOOD



9062 - SF | DARK METALLIC WOOD



WOOD GRAINS (SF)



9066 - SF | CLASSIC WOOD



2026 - SF | ROYAL OAK



9025 - SF | LIGHT BRENT WOOD



Trending Style



2025 - SF | CLASSIC OAK



9026 - SF | DARK BRENT WOOD



WOOD GRAINS (SF)



2024 - SF | RUSTIC WALNUT



2091 - SF | ZURA WALNUT



5106 - SF | LOREL WOOD



Maverick realm



2027 - SF | DARK EMERALD WOOD



5059 - SF | SWANKY WOOD



2087 - SF | WOOD WALNUT



WOOD GRAINS (SF)



9020 - SF | BLACK WALNUT



5050 - SF | SUMMER WALNUT



5121 - SF | DELTA OAK



2081 - SF | BELMOUNT WOOD



Snazzy style that looks upstyle

92

93



2075 - SF | GOLDEN WALNUT



5051 - SF | WILD WALNUT



9023 - SF | SMOKE WALNUT



2092 - SF | PADONA WALNUT



WOOD GRAINS (SF)



3084 - SF | BAVERIAN BEACH



2008 - SF | NAINA TEAK



5061 - SF | ROSE FOREST




9091 - SF | AFRICAN SAPELI



Igniting the passion of perfection



4035 - SF | HIGHLAND PINE



4059 - SF | WENGE




5081 - SF | LIGHT QUILTED ASH




5082 - SF | DARK QUILTED ASH



SOLID COLORS (SF)



501 - MT | WHITE



516 - MT | FROSTY WHITE




517 - MT | IVORY




503 - SF | GREY



505 - SF | SLATE GREY




501 - SF | WHITE



516 - SF | FROSTY WHITE




517 - SF | IVORY



511 - SF | BLACK



504 - SF | DARK GREY



509 - SF | COFFEE



561 - SF | BEIGE



SILVER*

*AVAILABLE IN 1 MM ONLY



Swanky Hues

The lavish fervor of design exuberance that leaves lasting impressions



525 - SF | YELLOW



540 - SF | MARI GOLD



528 - SF | ORANGE



546 - SF | LAVENDER



544 - SF | PURPLE




526 - SF | ROYAL BLUE



535 - SF | PARROT GREEN



524 - SF | BOTTLE GREEN



536 - SF | ARMY GREEN



529 - SF | PINK



556 - SF | RUSBURY



558 - SF | ROYAL PINK



555 - SF | BLACK CURRENT



548 - SF | RED



532 - SF | BRICK

INDEX

| SR. NO. | DESIGN NO. | FINISH | PAGE NO. |
|---------|------------|--------|----------|
| 1 | 501 | UG | 48 |
| 2 | 501 | MT | 96 |
| 3 | 501 | SF | 96 |
| 4 | 503 | UG | 48 |
| 5 | 503 | SF | 96 |
| 6 | 504 | UG | 48 |
| 7 | 504 | SF | 96 |
| 8 | 505 | UG | 17 |
| 9 | 505 | UG | 48 |
| 10 | 505 | SF | 96 |
| 11 | 509 | UG | 48 |
| 12 | 509 | SF | 96 |
| 13 | 511 | UG | 48 |
| 14 | 511 | SF | 96 |
| 15 | 516 | UG | 48 |
| 16 | 516 | FW | 61 |
| 17 | 516 | VZ | 64 |
| 18 | 516 | OS | 69 |
| 19 | 516 | TK | 71 |
| 20 | 516 | DC | 72 |
| 21 | 516 | MT | 96 |
| 22 | 516 | SF | 96 |
| 23 | 517 | UG | 48 |
| 24 | 517 | MT | 96 |
| 25 | 517 | SF | 96 |
| 26 | 524 | SF | 97 |
| 27 | 525 | UG | 49 |
| 28 | 525 | SF | 97 |
| 29 | 526 | UG | 49 |
| 30 | 526 | SF | 97 |
| 31 | 528 | UG | 49 |
| 32 | 528 | SF | 97 |
| 33 | 529 | SF | 97 |
| 34 | 532 | UG | 49 |
| 35 | 532 | SF | 97 |
| 36 | 535 | UG | 49 |
| 37 | 535 | SF | 97 |
| 38 | 536 | SF | 97 |
| 39 | 540 | SF | 97 |
| 40 | 544 | SF | 97 |
| 41 | 546 | UG | 49 |
| 42 | 546 | SF | 97 |
| 43 | 548 | UG | 49 |
| 44 | 548 | SF | 97 |
| 45 | 555 | UG | 49 |
| 46 | 555 | SF | 97 |
| 47 | 556 | UG | 49 |
| 48 | 556 | SF | 97 |
| 49 | 558 | UG | 49 |
| 50 | 558 | SF | 97 |
| 51 | 561 | UG | 48 |
| 52 | 561 | SF | 96 |
| 53 | 2008 | SF | 94 |
| 54 | 2024 | UG | 45 |
| 55 | 2024 | VZ | 65 |
| 56 | 2024 | SP | 73 |
| 57 | 2024 | SF | 90 |
| 58 | 2025 | SF | 89 |
| 59 | 2026 | SF | 89 |
| 60 | 2027 | UG | 45 |
| 61 | 2027 | SF | 90 |
| 62 | 2073 | UG | 46 |
| 63 | 2074 | UG | 46 |
| 64 | 2075 | UG | 43 |
| 65 | 2075 | SF | 92 |
| 66 | 2081 | UG | 47 |
| 67 | 2081 | SF | 93 |
| 68 | 2087 | UG | 44 |
| 69 | 2087 | SF | 91 |
| 70 | 2091 | UG | 46 |
| 71 | 2091 | SF | 90 |
| 72 | 2092 | UG | 46 |
| 73 | 2092 | SF | 93 |
| 74 | 2093 | UG(HZ) | 40 |
| 75 | 2093 | UG | 44 |
| 76 | 2093 | ASH | 63 |
| 77 | 2093 | OS | 68 |
| 78 | 2094 | UG | 44 |
| 79 | 2094 | ASH | 63 |
| 80 | 2094 | OS | 68 |

| SR. NO. | DESIGN NO. | FINISH | PAGE NO. |
|---------|------------|-----------|----------|
| 81 | 2101 | OS | 69 |
| 82 | 2101 | TK | 71 |
| 83 | 3084 | SF | 94 |
| 84 | 4035 | SF | 94 |
| 85 | 4059 | SF | 94 |
| 86 | 5050 | SF | 92 |
| 87 | 5051 | UG | 47 |
| 88 | 5051 | SF | 92 |
| 89 | 5057 | UG | 47 |
| 90 | 5059 | SF | 91 |
| 91 | 5061 | SF | 95 |
| 92 | 5081 | SF | 95 |
| 93 | 5082 | SF | 95 |
| 94 | 5106 | SF | 91 |
| 95 | 5121 | UG | 47 |
| 96 | 5121 | ASH | 63 |
| 97 | 5121 | SF | 93 |
| 98 | 5124 | UG | 14 |
| 99 | 5125 | UG | 14 |
| 100 | 5135 | UG | 14 |
| 101 | 9020 | DC | 72 |
| 102 | 9020 | SF | 92 |
| 103 | 9023 | SF | 93 |
| 104 | 9025 | UG | 42 |
| 105 | 9025 | SF | 89 |
| 106 | 9026 | UG | 42 |
| 107 | 9026 | SF | 89 |
| 108 | 9029 | UG | 43 |
| 109 | 9029 | MA | 55 |
| 110 | 9030 | UG | 45 |
| 111 | 9030 | FW | 61 |
| 112 | 9030 | VZ | 64 |
| 113 | 9032 | UG | 31 |
| 114 | 9035 | UG | 43 |
| 115 | 9035 | VZ | 65 |
| 116 | 9036 | HS | 66 |
| 117 | 9037 | HS | 66 |
| 118 | 9054 | SF | 84 |
| 119 | 9055 | SF | 84 |
| 120 | 9056 | UG | 38 |
| 121 | 9056 | MA | 54 |
| 122 | 9056 | SF | 85 |
| 123 | 9057 | UG | 38 |
| 124 | 9057 | MA | 54 |
| 125 | 9057 | SF | 85 |
| 126 | 9058 | UG | 39 |
| 127 | 9058 | MA | 55 |
| 128 | 9058 | SMT | 78 |
| 129 | 9058 | SF | 86 |
| 130 | 9059 | UG | 33 |
| 131 | 9060 | UG | 33 |
| 132 | 9061 | UG(HZ) | 41 |
| 133 | 9061 | ASH(CA)HZ | 56 |
| 134 | 9062 | UG | 36 |
| 135 | 9062 | ASH(CA)HZ | 57 |
| 136 | 9062 | DC | 72 |
| 137 | 9062 | SMT | 77 |
| 138 | 9062 | SF | 87 |
| 139 | 9063 | UG | 36 |
| 140 | 9063 | ASH(CA)HZ | 57 |
| 141 | 9063 | DC | 72 |
| 142 | 9063 | SMT | 77 |
| 143 | 9063 | SF | 87 |
| 144 | 9064 | UG | 30 |
| 145 | 9064 | NS | 59 |
| 146 | 9065 | UG | 30 |
| 147 | 9065 | NS | 59 |
| 148 | 9066 | UG | 37 |
| 149 | 9066 | SF | 88 |
| 150 | 9067 | UG | 32 |
| 151 | 9067 | HS | 67 |
| 152 | 9067 | SMT | 75 |
| 153 | 9069 | UG | 32 |
| 154 | 9069 | HS | 67 |
| 155 | 9069 | SMT | 75 |
| 156 | 9070 | UG | 37 |
| 157 | 9073 | UG(HZ) | 41 |
| 158 | 9073 | ASH(CA)HZ | 56 |
| 159 | 9074 | SF | 84 |
| 160 | 9075 | SF | 84 |

| SR. NO. | DESIGN NO. | FINISH | PAGE NO. |
|---------|------------|--------|----------|
| 161 | 9076 | NS | 58 |
| 162 | 9091 | SF | 95 |
| 163 | 11000 | GFT | 9 |
| 164 | 11000 | FLT | 17 |
| 165 | 11000 | SMT | 76 |
| 166 | 11001 | SMT | 18 |
| 167 | 11001 | LO | 50 |
| 168 | 11001 | ASH | 62 |
| 169 | 11001 | SF | 81 |
| 170 | 11002 | SMT | 18 |
| 171 | 11002 | LO | 50 |
| 172 | 11002 | ASH | 62 |
| 173 | 11002 | SF | 81 |
| 174 | 11003 | UG | 22 |
| 175 | 11003 | SP | 73 |
| 176 | 11004 | UG | 22 |
| 177 | 11004 | SP | 73 |
| 178 | 11005 | UG | 28 |
| 179 | 11006 | UG | 29 |
| 180 | 11007 | FLT | 16 |
| 181 | 11008 | FLT | 16 |
| 182 | 11009 | SMT | 19 |
| 183 | 11009 | UG | 26 |
| 184 | 11010 | SMT | 20 |
| 185 | 11010 | LO | 52 |
| 186 | 11010 | SF | 80 |
| 187 | 11011 | SMT | 20 |
| 188 | 11011 | LO | 52 |
| 189 | 11011 | TK | 70 |
| 190 | 11011 | SF | 80 |
| 191 | 11012 | SMT | 21 |
| 192 | 11012 | UG | 23 |
| 193 | 11012 | NV | 53 |
| 194 | 11013 | NV | 51 |
| 195 | 11014 | NV | 51 |
| 196 | 11015 | UG | 27 |
| 197 | 11016 | UG | 14 |
| 198 | 11017 | UG | 14 |
| 199 | 11018 | UG | 24 |
| 200 | 11018 | FW | 60 |
| 201 | 11018 | SF | 82 |
| 202 | 11019 | UG | 24 |
| 203 | 11019 | SF | 83 |
| 204 | 11020 | UG | 25 |
| 205 | 11020 | FW | 60 |
| 206 | 11020 | SF | 82 |
| 207 | 11021 | GFT | 10 |
| 208 | 11021 | AUG | 11 |
| 209 | 11022 | AUG | 9 |
| 210 | 11022 | GFT | 10 |
| 211 | 11022 | AUG | 11 |
| 212 | 11023 | GFT | 10 |
| 213 | 11023 | AUG | 11 |
| 214 | 11023 | AUG | 29 |
| 215 | 11024 | GFT | 10 |
| 216 | 11024 | AUG | 11 |
| 217 | 11025 | GFT | 10 |
| 218 | 11025 | AUG | 11 |
| 219 | 11026 | FLT | 12 |
| 220 | 11026 | PMT | 13 |
| 221 | 11026 | PUG | 15 |
| 222 | 11027 | FLT | 12 |
| 223 | 11027 | PMT | 13 |
| 224 | 11027 | PUG | 15 |
| 225 | 11027 | FLT | 19 |
| 226 | 11027 | PMT | 26 |
| 227 | 11028 | FLT | 12 |
| 228 | 11028 | PMT | 13 |
| 229 | 11028 | PUG | 15 |
| 230 | 11029 | FLT | 12 |
| 231 | 11029 | PMT | 13 |
| 232 | 11029 | PUG | 15 |
| 233 | 11030 | PMT | 28 |
| 234 | 11031 | UG | 34 |
| 235 | 11031 | SF | 78 |
| 236 | 11032 | UG | 35 |
| 237 | 11032 | SF | 79 |
| 238 | SILVER | MT | 96 |

TECHNICAL SPECIFICATION

| PROPERTIES | SPECIFIED VALUES AS PER IS:2046-1995, TYPE S, HGS | GL CONFORMS | SPECIFIED VALUES AS PER IS:2046-1995, TYPE S, HGS | GL CONFORMS |
|---|--|-------------|--|-------------|
| Resistance to surface wear | 350 (Revolutions) | ✓ | 350 (Revolutions) | ✓ |
| Resistance to Immersion in boiling water - Mass increase (%) - Thickness increase (%) - Appearance | 10.0 (Maximum) 11.8 (Maximum) Not worse than 4 | ✓ | 7.5 (Maximum) 8.5 (Maximum) Not worse than 4 | ✓ |
| Resistance to dry heat 180° c | Not worse than 4 | ✓ | Not worse than 4 | ✓ |
| Dimensional stability at deviated temperature -Longitudinal (%) - Transverse (%) | 0.55 (Maximum) 1.025 (Maximum) | ✓ | 0.44 (Maximum) 0.86 (Maximum) | ✓ |
| Dimensional stability at 20°C -Longitudinal (%) - Transverse (%) | 0.375 (Maximum) 0.60 (Maximum) | ✓ | 0.31 (Maximum) 0.49 (Maximum) | ✓ |
| Resistance to Impact by small diameter ball | 20 N (MINIMUM) | ✓ | 20 N (MINIMUM) | ✓ |
| Resistance to cracking | Not worse than 4 | ✓ | Not worse than 4 | ✓ |
| Resistance to scratching | 2 N (MINIMUM) | ✓ | 2 N (MINIMUM) | ✓ |
| Resistance to staining | Not worse than 5 | ✓ | Not worse than 5 | ✓ |
| Resistance to colour change (wood standards) -In xenon arc light - In enclosed carbon arc light | Not worse than 6 Not worse than 5 | ✓ | Not worse than 6 Not worse than 5 | ✓ |
| Resistance to cigarette burns | Not worse than 3 | ✓ | Not worse than 3 | ✓ |
| Resistance to steam | Not worse than 4 | ✓ | Not worse than 4 | ✓ |
| Appearance | Should be free from foreign particles | ✓ | Should be free from foreign particles | ✓ |

FEATURES

A complete dimensionally stable product with the unique resistance power against

- Surface Wear
- Any kind of Stain
- Immersion In Boiling Water
- Scratching
- Cigarette Burns

PRODUCT SPECIFICATIONS

Product. Decorative Laminate Sheets

Size: 2440 x 1220 mm

Thickness: 0.8 mm (± 0.05mm)

Finish: Matt, Gloss, SF and World Class Textures

Maintenance: Clean with mild soap solutions or household detergent, abrasive cleaners should not be used. It is recommended for vertical use only. Avoid direct sunlight.

Resistance: To surface wear, immersion in boiling water, dry heat, impact by small dia. ball, cigarette burns, staining, scratches, color change in xenon light

Guaranteed Thickness.

- High Quality Back Sanding
- The samples shown in the Shade Chart are only indicative of the colors, patterns, and shades available
- Company warrants that all its products are free from manufacturing defects and perfectly fit for use under normal conditions. In case of any claims, the liability of the company is however limited to the cost of the product only.

FEATURES

Customers are advised to reconfirm selected laminate when placing orders as our liability does not include claims arising from sample chip pasting error. Samples presented are indicative of color, pattern and surface finish but not of actual thicknesses. All metallic patterns series recommended for vertical application only. Limited Warranty: GL warrants that its products are reasonably free from manufacturing defects.

The products when properly used, will comply, with normal deviation, related manufacturing specifications. This warranty shall be limited only to the original buyer for a period of care. It is recommended that the products must be inspected prior to installation and our liability will be limited to the extent of the cost of the products only. GL products are used for various applications without the possibility of control over the manufacturing of the finished products. The Company does not assume obligations or liabilities arising from the furnishing, sale, installation or repair, use or subsequent sale of any product, to any person or entity

लेमिनेट शीट चिपकाते समय निम्न सावधानियाँ रखनी चाहिए।

- लेमिनेट शीट के रख रखाव करते समय इस पर किसी प्रकार के रसायन पदार्थ का प्रयोग न करें।
- जहाँ सूर्य की किरणें सीधी आती हो वहाँ लेमिनेट शीट का उपयोग कम से कम करें, यह रंग को धुंधला कर सकता है।
- अत्यधिक नमी के स्थान पर लेमिनेट शीट पर बबल्स आने की संभावना रहती है।
- लेमिनेट शीट चिपकाते वक्त कम दबाव के कारण शीट खुलने की संभावना रहती है। लेमिनेट शीट को 90° में काट कर चिपकाने से बचने की संभावना रहती है।
- अधोमिश्र हमेशा उच्च क्वालिटी का काम में लें।
- लेमिनेट शीट का बड़ा टुकड़ा लगाते समय अत्यधिक सावधानी रखें।
- धर में रंग टोंगन कराते समय फर्नीचर को डक दें।
- लेमिनेट शीट लगाते समय यह जाँच लें की सभी शीट्स का रंग एवं डिजाइन एक समान है।
- लेमिनेट शीट का रोल खोल कर रखें।
- लेमिनेट शीट को सीधे रख कर काटें।
- अधिक से अधिक स्थान पर type maskite type का उपयोग करें

उपयुक्त सावधानियों को ध्यान में रखकर लेमिनेट को काम में लेने पर काफी समस्याओं का समाधान स्वतः हो जाएगा।

QC APPROVAL

